Inkjet & Laser Paper

PROOF, PHOTO & PRODUCTION MEDIA

POWERED BY bestcolor technology

PRODUCT RANGE 02/2008

Media
on
demand

presented by

Tecco®

When to use what kind of paper

All papers presented by Tecco

Paper / Application		Page	RECOMMENDED FOR: Dye Inks Piezo	Dye Inks BubbleJet	Pigmented Inks Piezo	Pigmented Inks BubbleJet	Laser printers	Outdoor-Applications	PROOFING SOLUTIONS: Imposition Proof	Contract Proof	Remote Proof	Matching analog Proofs**	Duplex Proof	PHOTO SOLUTIONS: Photo & Fine Art	PRODUCTION SOLUTIONS: Production
									1.1	1.2	1.3	1.4	1.5	2.	3.
EFI Proof Paper Starterkit	9x4 sheets A3+	4	●	●	●	●			☺	☺	☺	☺	☺	☺	☺
EFI Proof Paper 9120XF Matt	(120 g/m²)	4	●	●	●	●			☺	☺				☺	☺
EFI Proof Paper 5120 Matt	(120 g/m²)	5	●	●	●	●			☺					☺	☺
EFI Proof Paper 5125 DUO-Matt	(125 g/m²)	5	●	●	●	●							☺	☺	☺
EFI Proof Paper 5165 Matt	(165 g/m²)	6	●	●	●	●			☺					☺	☺
EFI Proof Paper 9190 Matt	(190 g/m²)	7	●	●	●	●			☺	☺				☺	☺
EFI Budget Proof Paper 3170 Semimatt	(165 g/m²)	8			●	●			☺	☺				☺	☺
EFI Proof Paper 9150 Semimatt	(150 g/m²)	9	●	●	●	●			☺	☺				☺	☺
EFI Proof Paper 9155 DUO-Semimatt	(170 g/m²)	10	●	●	●	●							☺		☺
EFI Remoteproof Paper 9180 Semimatt	(180 g/m²)	11	●	●	●	●				☺	☺			☺	☺
EFI Offset Proof Paper 9100 Semimatt	(140 g/m²)	12	●	●	●	●			☺	☺	☺	☺		☺	☺
EFI Offset Proof Paper 9200 Semimatt	(200 g/m²)	13	●	●	●	●			☺	☺	☺	☺		☺	☺
EFI Gravure Proof Paper 4245 Semimatt	(245 g/m²)	14	●	●	●	●				☺		☺		☺	☺
EFI CertProof Paper 6225XF Semimatt	(225 g/m²)	15	●	●	●	●			☺	☺	☺	☺		☺	☺
EFI Packaging Proof 9300ICS	(300 g/m²)	16	●	●	●	●			☺	☺				☺	☺
EFI Proof Paper 5180 Heavy-Gloss	(180 g/m²)	16	●	●						☺				☺	☺
EFI FlexoProof Glossy-Film	(130 µ)	17	●	●	●	●				☺	☺	☺		☺	☺
EFI Proof Paper ZP 55 (Newspaper)	(55 g/m²)	18	●	●	●	●	●		☺	☺*					
EFI Photo Paper 1250 Semimatt	(250 g/m²)	19	●	●	●	●				☺		☺		☺	☺
EFI Photo Paper 1260 Semimatt	(250 g/m²)	20	●	●	●	●				☺		☺		☺	☺
EFI Photo Premium Paper 4250 High-Gloss	(250 g/m²)	21	●	●	●	●				☺				☺	☺
EFI Photo Classic Baryt 4270 Satin	(270 g/m²)	22	●	●	●	●				☺				☺	☺
EFI Photo FineArt 'Handmade' Water Color Paper	(140 g/m²)	22	●	●	●	●								☺	☺
EFI Photo FineArt Canvas	(520 µ)	23	●	●	●	●								☺	☺
EFI Photo FineArt Cotton Paper	(295 g/m²)	23	●	●	●	●								☺	☺
EFI Production Paper 1090 Matt	(90 g/m²)	24	●	●	●	●									☺
EFI Production Premium Paper 1120 Matt	(120 g/m²)	25	●	●	●	●									☺
EFI Production Textile-Banner 1180 Matt	(180 g/m²)	25	●	●	●	●		■							☺
EFI Production Premium Paper 1200 Semiglossy	(200 g/m²)	26	●	●	●	●									☺
EFI Production Premium Paper 2200 Glossy	(200 g/m²)	27	●	●	●	●									☺
EFI Production Paper 1090ADH Matt	(190 g/m²)	27	●	●	●	●									☺
EFI Production Paper 1200ADH Semiglossy	(280 g/m²)	28	●	●	●	●									☺
EFI Production Paper 2200ADH Glossy	(280 g/m²)	29	●	●	●	●									☺
EFI Production Paper 1300ADH Vinyl	(300 µ)	29	●	●	●	●		■							☺
EFI Production Paper 1160 PET-Film	(160 g/m²)	30	●	●	●	●		■						☺	☺
EFI Production Paper 1510 Vinyl Banner	(510 µ)	30	●	●	●	●		■							☺
EFI Production Paper 1150 Tyvek Banner	(150 g/m²)	31	●	●	●	●		■							☺
EFI Production Paper 1140 Backlit	(140 µ)	31	●	●	●	●		■							☺
EFI Production Dot Film	(140 µ)	32	●	●	●	●									☺
EFI Laser Paper Starterkit		33					●		☺	☺			☺		☺
EFI Laser Paper ZP 78 (Newspaper)	(78 g/m²)	33					●		☺	☺*					
EFI Laser Paper Matt 92M	(92 g/m²)	33					●		☺				☺		☺
EFI Laser Paper Matt 162M	(162 g/m²)	34					●		☺				☺		☺
EFI Laser Paper DUO-Semimatt 130SM	(130 g/m²)	34					●		☺	☺			☺		☺
EFI Laser Proof Paper XF130 Semimatt	(130 g/m²)	34					●		☺	☺			☺		☺
EFI Laser Paper Glossy 162GL	(162 g/m²)	35					●		☺						☺
EFI Laser Paper Glossy 205GL	(205 g/m²)	35					●		☺	☺					☺

Best/EFI Classics - end of life (subject to prior sale)

Best/EFI Proof Paper 5150 Glossy	(150 g/m²)	36	●	●					☺	☺					☺
Best/EFI Photo Paper 1240 High-Gloss	(270 g/m²)	36	●	●	●	●			☺	☺					☺
Best/EFI Fine Art Paper Gallery Board	(330 g/m²)	36	●	●	●	●								☺	☺
Best/EFI Fine Art Watercolor Paper	(230 g/m²)	37	●	●	●	●								☺	☺
Best/EFI Proof Paper 7180 Glossy	(180 g/m²)	37	●	●	●	●			☺	☺					☺
Best/EFI Proof Paper 8180 Semiglossy	(180 g/m²)	37	●	●	●	●				☺		☺		☺	☺
EFI Proof Premium Paper 8260 Semiglossy	(260 g/m²)	38	●	●	●	●				☺	☺	☺		☺	☺
EFI Laser Paper DUO-Semimatt 105SM	NEU (105 g/m²)	38					●		☺				☺		☺
EFI Packaging Proof 9380 Semimatt	(380 g/m²)	39	●	●	●	●			☺	☺				☺	☺

Proof Paper

BEST PROOFING SOLUTIONS

formerly known as **best.paper™**

POWERED BY bestcolor technology

Printing media for colour inkjet printers	NEW	part no.	unit	size	core	Dye Inks Piezo	Dye Inks BubbleJet	Pigmented Inks Piezo	Pigmented Inks BubbleJet	Laser printers	Outdoor-Applications	recommended for	Application and icc-supported profiles with the following product segments:
EFI Contract Proof Paper Starterkit													
Content: each 4 sheets of the following printing media: EFI Proof Paper 9120XF Matt (120 g/m²) EFI Proof Paper 5120 Matt (120 g/m²) EFI Offset Proof Paper 9100 Semimatt (140 g/m²) EFI Offset Proof Paper 9200 Semimatt (200 g/m²) EFI Gravure Proof Paper 4245 Semimatt (245 g/m²) EFI CertProof Paper 6225XF Semimatt (225 g/m²) EFI FlexoProof Glossy-Film (130µ) EFI Photo Premium 4250 High-Gloss (250 g/m²)		6064000002	Box	DIN A3+									☒ PROOFING SOLUTIONS ☒ PHOTO SOLUTIONS ☒ PRODUCTION SOLUTIONS
EFI Proof Paper 9120XF Matt **(120 g/m²)** Controlled ΔE<1,2 Consistency 64 INCHES Matt coated, taylor made for contract-proofing applications. For affordable prints with high color fidelity. **This proofing paper contains almost zero optical brighteners.** The special coloring and **the high L-value of 96,5** make this paper especially suitable for the simulation of matt printing media ***) All roll units are supplied with each two adapters 3" to 2" core.**		6740210297	200 sheets	DIN A4									☒ PROOFING SOLUTIONS ☒ PHOTO SOLUTIONS ☒ PRODUCTION SOLUTIONS
		6740241340	200 sheets	SUPER A4									
		6740297420	200 sheets	DIN A3									
		6740330483	200 sheets	DIN A3+									
		6740329558	200 sheets	A3++									
		6740420594	200 sheets	DIN A2									
		6740594841	200 sheets	DIN A1									
		6740254041	roll	25,4 cm x 40 m (10")	3"								
		6740329010	roll	32,9 cm x 10 m (13")	2"								
		6740360041	roll	36,0 cm x 40 m (14,17")	3"								
		6740432041	roll	43,2 cm x 40 m (17")	3"								
		6740508041	roll	50,8 cm x 40 m (20")	3"								
		6740610041	roll	61,0 cm x 40 m (24")	3"								
		6740914041	roll	91,4 cm x 40 m (36")	3"								
		6740107041	roll	106,7 cm x 40 m (42")	3"								
		6740112041	roll	111,8 cm x 40 m (44")	3"								
		6740127041	roll	127,0 cm x 40 m (50")	3"								
		6740135041	roll	135,0 cm x 40 m (53,125")	3"								
		6740152041	roll	152,0 cm x 40 m (60")	3"								
	NEW	6740162041	roll	162,6 cm x 40 m (64")	3"								
		6740999999	Sample	43,2 cm x 5 m (17")	3"								

Proof Paper

BEST PROOFING SOLUTIONS

formerly known as **best.paper™**

POWERED BY bestcolor technology

Printing media for colour inkjet printers	NEW	part no.	unit	size	core	Dye Inks Piezo	Dye Inks BubbleJet	Pigmented Inks Piezo	Pigmented Inks BubbleJet	Laser printers	Outdoor-Applications	recommended for	Application and icc-supported profiles with the following product segments:
EFI Proof Paper 5120 Matt **(120 g/m²)**													
Matt coated bright-white paper, especially suitable for affordable proofs and other prints with high color fidelity		6091210297	200 sheets	DIN A4									☒ PROOFING SOLUTIONS
		6091241340	200 sheets	SUPER A4									☒ PHOTO SOLUTIONS
		6091297420	200 sheets	DIN A3									☒ PRODUCTION SOLUTIONS
		6091330483	200 sheets	DIN A3+									
		6091420594	200 sheets	DIN A2									
		6091594841	200 sheets	DIN A1									
		6091329010	roll	32,9 cm x 10 m (13")	2"								
		6091360035	roll	36,0 cm x 35 m (14,17")	2"								
		6091432036	roll	43,2 cm x 35 m (17")	3"								
		6091610035	roll	61,0 cm x 35 m (24")	2"								
		6091610037	roll	61,0 cm x 35 m (24")	3"								
		6091914035	roll	91,4 cm x 35 m (36")	2"								
		6091914037	roll	91,4 cm x 35 m (36")	3"								
		6091107035	roll	106,7 cm x 35 m (42")	2"								
		6091112035	roll	111,8 cm x 35 m (44")	2"								
		6091112037	roll	111,8 cm x 35 m (44")	3"								
		6091127035	roll	127,0 cm x 35 m (50")	2"								
		6091135035	roll	135,0 cm x 35 m (53,125")	3"								
***) All roll units are supplied with each two adapters 3" to 2" core.**		6091999998	**Sample**	43,2 cm x 5 m (17")	3"*)								
EFI Proof Paper 5125 DUO-Matt **(125 g/m²)**													
DUO		6070210297	100 sheets	DIN A4									☒ PROOFING SOLUTIONS
Double side matt coated paper, bright-white, especially suitable for affordable proofs and other prints with high color fidelity. Only suitable for single sheet feeding.		6070241340	100 sheets	SUPER A4									☒ PHOTO SOLUTIONS
		6070297420	100 sheets	DIN A3									☒ PRODUCTION SOLUTIONS
		6070330483	100 sheets	DIN A3+									
		6070420594	100 sheets	DIN A2									
		6070594841	100 sheets	DIN A1									

Proof Paper
BEST PROOFING SOLUTIONS

formerly known as **best.paper™**

POWERED BY bestcolor technology

Printing media for colour inkjet printers

Best Proof Paper 5165 Matt **(165 g/m²)**

Heavy matt paper, bright-white, especially suitable for affordable proofs and other prints with high color fidelity.

***) All roll units are supplied with each two adapters 3" to 2" core.**

NEW	part no.	unit	size	core
	6092210297	100 sheets	DIN A4	
	6092241340	100 sheets	SUPER A4	
	6092297420	100 sheets	DIN A3	
	6092330483	100 sheets	DIN A3+	
	6092420594	100 sheets	DIN A2	
	6092594841	100 sheets	DIN A1	
	6092329010	roll	32,9 cm x 10 m (13")	2"
	6092360020	roll	36,0 cm x 20 m (14,17")	2"
	6092432021	roll	43,2 cm x 20 m (17")	3"
	6092610020	roll	61,0 cm x 20 m (24")	2"
	6092610022	roll	61,0 cm x 20 m (24")	3"
	6092914020	roll	91,4 cm x 20 m (36")	2"
	6092914022	roll	91,4 cm x 20 m (36")	3"
	6092107020	roll	107,0 cm x 20 m (42")	2"
	6092112020	roll	111,8 cm x 20 m (44")	2"
	6092112022	roll	111,8 cm x 20 m (44")	3"
	6092127020	roll	127,0 cm x 20 m (50")	2"
	6092135020	roll	135,0 cm x 20 m (53 1/8")	3"
	6092999997	**Sample**	43,2 cm x 5 m (17")	3"*)

Dye Inks Piezo | Dye Inks BubbleJet | Pigmented Inks Piezo | Pigmented Inks BubbleJet | Laser printers | Outdoor-Applications

recommended for

Application and icc-supported profiles with the following product segments:

- ☒ PROOFING SOLUTIONS
- ☒ PHOTO SOLUTIONS
- ☒ PRODUCTION SOLUTIONS

Proof Paper

BEST PROOFING SOLUTIONS

formerly known as **best.paper™**

POWERED BY bestcolor technology

Printing media for colour inkjet printers

						Dye Inks Piezo	Dye Inks BubbleJet	Pigmented Inks Piezo	Pigmented Inks BubbleJet	Laser printers	Outdoor-Applications	
	NEW	part no.	unit	size	core	recommended for						Application and icc-supported profiles with the following product segments:
EFI Proof Paper 9190 Matt					**(190 g/m²)**							
		6517210297	100 sheets	DIN A4								☒ PROOFING SOLUTIONS
		6517241340	100 sheets	SUPER A4								☒ PHOTO SOLUTIONS
		6517297420	100 sheets	DIN A3								☒ PRODUCTION SOLUTIONS
		6517330483	100 sheets	DIN A3+								
		6517329558	100 sheets	A3++								
		6517420594	100 sheets	DIN A2								
		6517594841	100 sheets	DIN A1								
		6517254030	roll	25,4 cm x 30 m (10")	2"							
		6517329010	roll	32,9 cm x 10 m (13")	2"							
		6517360030	roll	36,0 cm x 30 m (14,17")	2"							
		6517432031	roll	43,2 cm x 30 m (17")	3"							
		6517457025	roll	45,7 cm x 25 m (18")	2" ***)							
		6517508030	roll	50,8 cm x 30 m (20")	2"							
		6517610030	roll	61,0 cm x 30 m (24")	2"							
		6517610031	roll	61,0 cm x 30 m (24")	3"							
		6517914030	roll	91,4 cm x 30 m (36")	2"							
		6517914031	roll	91,4 cm x 30 m (36")	3"							
		6517107030	roll	106,7 cm x 30 m (42")	2"							
		6517112030	roll	111,8 cm x 30 m (44")	2"							
		6517112031	roll	111,8 cm x 30 m (44")	3"							
		6517127030	roll	127,0 cm x 30 m (50")	2"							
		6517135030	roll	135,0 cm x 30 m (53,125")	3"							
	NEW	6740162041	roll	162,6 cm x 30 m (64")	3"							
		6517999998	Sample	43,2 cm x 5 m (17")	3"*)							

64 INCHES

Heavy matt coated, taylor made for proofing applications. For affordable prints with high color fidelity. The special coloring and the high L-value make this paper especially suitable for the simulation of matt printing media.

***) All roll units are supplied with each two adapters 3" to 2" core.**

****) Suitable e. g. for HP DesignJet 70 and 90 Series**

Proof Paper
BEST PROOFING SOLUTIONS

formerly known as **best.paper™**

POWERED BY bestcolor technology

Printing media for colour inkjet printers

EFI Budget Proof Paper 3170 Semimatt **(165 g/m²)**

The EFI Budget Proof Paper 3170 Semimatt is the ideal product for all applications with color accurate demand. It is featured by a wide color gamut and a very short drying time.This competitively-priced media is compatible for proof creation according to ISO 12647-7.

(By using the K3 inks the gamut of the ISO coated V2 cannot be covered in the magenta-red-area. For this purpose we suggest the FograCert EFI Gravure Proof Paper 4245 Semimatt, EFI CertProof 6225XF or EFI Offset Proof Paper 9100/9200 Semimatt. Please note: The paper types ISO webcoated (PT3) and ISO uncoated (PT4) can be covered in combination with the K3 inks.)

***) All roll units are supplied with each two adapters 3'' to 2'' core.**

NEW	part no.	unit	size	core
	6066210297	100 sheets	DIN A4	
	6066241340	100 sheets	SUPER A4	
	6066297420	100 sheets	DIN A3	
	6066330483	100 sheets	DIN A3+	
	6066420594	100 sheets	DIN A2	
	6066432031	roll	43,2 cm x 30 m (17")	3''
	6066610030	roll	61,0 cm x 30 m (24")	2''
	6066610031	roll	61,0 cm x 30 m (24")	3''
	6066914030	roll	91,4 cm x 30 m (36")	2''
	6066914031	roll	91,4 cm x 30 m (36")	3''
	6066107030	roll	106,7 cm x 30 m (42")	2''
	6066107031	roll	106,7 cm x 30 m (42")	3''
	6066112030	roll	111,8 cm x 30 m (44")	2''
	6066112031	roll	111,8 cm x 30 m (44")	3''
	6066999997	Sample	43,2 cm x 5 m (17")	3''*)

Dye Inks Piezo | Dye Inks BubbleJet | Pigmented Inks Piezo | Pigmented Inks BubbleJet | Laser printers | Outdoor-Applications

recommended for

Application and icc-supported profiles with the following product segments:

- ☒ PROOFING SOLUTIONS
- ☒ PHOTO SOLUTIONS
- ☒ PRODUCTION SOLUTIONS

Proof Paper

BEST PROOFING SOLUTIONS

formerly known as **best.paper™**

POWERED BY bestcolor technology

Printing media for colour inkjet printers

EFI Proof Paper 9150 Semimatt (150 g/m²)

Controlled ΔE<1,0 Consistency

The EFI Proof Paper 9150 semimatt for use with both pigmented and dye-based ink, was specially developed for the offset proofing market. It is an ideal product for all applications with color accurate demand. The very low content of optical brighteners eliminates an important source of metamerism effects. Due to its neutral paper shade (LAB-Value: 95.59; 0.6; -2.3) this paper is highly recommended to simulate all common reference papers of the offset printing industry. In most cases the simulation of the paper white becomes redundant due to the adjusted coloration of the paper. This media is compatible for proof creation according to ISO 12647-7.

(By using the K3 inks, the gamut of the ISO coated V2 cannot be covered in the magenta-red-area. For this purpose we suggest the the FograCert EFI Offset Proof Paper 9100/9200 Semimatt or the EFI grades 4245 or 6225XF Semimatt. Please note: The paper types ISO web-coated (PT3) and ISO uncoated (PT4) can be covered in combination with the K3 inks.)

***) All roll units are supplied with each two adapters 3" to 2" core.**

*****) Suitable e. g. for HP DesignJet 70 and 90 Series**

NEW	part no.	unit	size	core
	6096210297	100 sheets	DIN A4	
	6096241340	100 sheets	SUPER A4	
	6096297420	100 sheets	DIN A3	
	6096330483	100 sheets	DIN A3+	
	6096329558	100 sheets	A3++	
	6096420594	100 sheets	DIN A2	
	6096594841	100 sheets	DIN A1	
	6096254030	roll	25,4 cm x 30 m (10")	2"
	6096329010	roll	32,9 cm x 10 m (13")	2"
	6096329030	roll	32,9 cm x 30 m (13")	2"
	6096360030	roll	36,0 cm x 30 m (14,17")	2"
	6096420010	roll	42,0 cm x 10 m (16,5")	1"
	6096432031	roll	43,2 cm x 30 m (17")	3"
	6096450030	roll	45,0 cm x 30 m (17,7")	2"
	6096457025	roll	45,7 cm x 25 m (18")	2" ***)
	6096508030	roll	50,8 cm x 30 m (20")	2"
	6096610030	roll	61,0 cm x 30 m (24")	2"
	6096610031	roll	61,0 cm x 30 m (24")	3"
	6096914030	roll	91,4 cm x 30 m (36")	2"
	6096914031	roll	91,4 cm x 30 m (36")	3"
	6096107030	roll	106,7 cm x 30 m (42")	2"
	6096112030	roll	111,8 cm x 30 m (44")	2"
	6096112031	roll	111,8 cm x 30 m (44")	3"
	6096127030	roll	127,0 cm x 30 m (50")	2"
	6096135030	roll	135,0 cm x 30 m (53,125")	3"
	6096137030	roll	137,0 cm x 30 m (54")	2"
	6096152030	roll	152,0 cm x 30 m (60")	2"
	6096157030	roll	157,5 cm x 30 m (62")	2"
	6096182030	roll	182,8 cm x 30 m (72")	2"
	6096999998	5 sheets	DIN A3+	
	6096999997	Sample	43,2 cm x 5 m (17")	3"*)

Dye Inks Piezo	Dye Inks BubbleJet	Pigmented Inks Piezo	Pigmented Inks BubbleJet	Laser printers	Outdoor-Applications
☒	☒	☒	☒		

recommended for

Application and icc-supported profiles with the following product segments:

- ☒ PROOFING SOLUTIONS
- ☒ PHOTO SOLUTIONS
- ☒ PRODUCTION SOLUTIONS

Proof Paper

BEST PROOFING SOLUTIONS

formerly known as **best.paper™**

POWERED BY bestcolor technology

Printing media for colour inkjet printers

Dye Inks Piezo | Dye Inks BubbleJet | Pigmented Inks Piezo | Pigmented Inks BubbleJet | Laser printers | Outdoor-Applications

recommended for

Application and icc-supported profiles with the following product segments:

- ☒ PROOFING SOLUTIONS
- ☐ PHOTO SOLUTIONS
- ☒ PRODUCTION SOLUTIONS

EFI Proof Paper 9155 DUO-Semimatt (170 g/m²)

DUO

Double side coated semimatt paper, extremely short drying time, wipefast, taylor made for the proof segment and for other applications with high color fidelity. Only suitable for single sheet feeding.

***) All roll units are supplied with each two adapters 3" to 2" core.**

NEW	part no.	unit	size	core
	6073210297	100 sheets	DIN A4	
	6073241340	100 sheets	SUPER A4	
	6073297420	100 sheets	DIN A3	
	6073330483	100 sheets	DIN A3+	
	6073420594	100 sheets	DIN A2	
	6073594841	100 sheets	DIN A1	
	6073329010	roll	32,9 cm x 10 m (13")	2"
	6073360030	roll	36,0 cm x 30 m (14,17")	2"
NEW	6073432031	roll	43,2 cm x 30 m (17")	3" *)
	6073610030	roll	61,0 cm x 30 m (24")	2"
	6073610031	roll	61,0 cm x 30 m (24")	3"
	6073914030	roll	91,4 cm x 30 m (36")	2"
	6073914031	roll	91,4 cm x 30 m (36")	3"
	6073107030	roll	106,7 cm x 30 m (42")	2"
	6073112030	roll	111,8 cm x 30 m (44")	2"
	6073112031	roll	111,8 cm x 30 m (44")	3"
	6073127030	roll	127,0 cm x 30 m (50")	2"
	6073999998	**Sample**	43,2 cm x 5 m (17")	3"*)

Proof Paper
BEST PROOFING SOLUTIONS

formerly known as **best.paper™**

POWERED BY bestcolor technology

Printing media for colour inkjet printers

EFI Remoteproof Paper 9180 Semimatt (180 g/m²)

The EFI Remoteproof Paper 9180 semimatt for use with both pigmented and dye-based ink, was specially developed for the offset proofing market. It is an ideal product for all applications with color accurate demand. The very low content of optical brighteners eliminates an important source of metamerism effects. Due to its neutral paper shade (LAB-Value: 95.59; 0.6; -2.3) this paper is highly recommended to simulate all common reference papers of the offset printing industry. In most cases the simulation of the paper white becomes redundant due to the adjusted coloration of the paper. The extraordinary consistancy and stability of the 9180 matches all critical specifications for remoteproof applications. This media is compatible for proof creation according to ISO 12647-7.

(By using the K3 inks, the gamut of the ISO coated V2 cannot be covered in the magenta-red-area. For this purpose we suggest the the FograCert EFI Offset Proof Paper 9100/9200 Semimatt or grades EFI 4245 Semimatt/EFI 6225XF Semimatt. Please note: The paper types ISO web-coated (PT3) and ISO uncoated (PT4) can be covered in combination with the K3 inks.)

***) All roll units are supplied with each two adapters 3" to 2" core.**

*****) Suitable e. g. for HP DesignJet 70 and 90 Series**

NEW	part no.	unit	size	core
	6097210297	100 sheets	DIN A4	
	6097241340	100 sheets	SUPER A4	
	6097297420	100 sheets	DIN A3	
	6097330483	100 sheets	DIN A3+	
	6097329558	100 sheets	A3++	
	6097420594	100 sheets	DIN A2	
	6097594841	100 sheets	DIN A1	
	6097254030	roll	25,4 cm x 30 m (10")	2"
	6097329010	roll	32,9 cm x 10 m (13")	2"
	6097329030	roll	32,9 cm x 30 m (13")	2"
	6097360030	roll	36,0 cm x 30 m (14,17")	2"
	6097432031	roll	43,2 cm x 30 m (17")	3" *)
	6097457025	roll	45,7 cm x 25 m (18")	2" ***)
	6097508030	roll	50,8 cm x 30 m (20")	2"
	6097610030	roll	61,0 cm x 30 m (24")	2"
	6097610031	roll	61,0 cm x 30 m (24")	3" *)
	6097914030	roll	91,4 cm x 30 m (36")	2"
	6097914031	roll	91,4 cm x 30 m (36")	3" *)
	6097107030	roll	106,7 cm x 30 m (42")	2"
	6097112030	roll	111,8 cm x 30 m (44")	2"
	6097112031	roll	111,8 cm x 30 m (44")	3" *)
	6097127030	roll	127,0 cm x 30 m (50")	2"
	6097135030	roll	135,0 cm x 30 m (53,125")	3" *)
	6097137030	roll	137,0 cm x 30 m (54")	2"
	6097152030	roll	152,0 cm x 30 m (60")	2"
NEW	6097162031	roll	162,6 cm x 30 m (64")	3" *)
	6097182030	roll	182,8 cm x 30 m (72")	2"
	6097999998	**5 sheets**	DIN A3+	
	6097999997	**Sample**	43,2 cm x 5 m (17")	3"*)

Dye Inks Piezo | Dye Inks BubbleJet | Pigmented Inks Piezo | Pigmented Inks BubbleJet | Laser printers | Outdoor-Applications

recommended for

Application and icc-supported profiles with the following product segments:

- ☒ PROOFING SOLUTIONS
- ☒ PHOTO SOLUTIONS
- ☒ PRODUCTION SOLUTIONS

Proof Paper
BEST PROOFING SOLUTIONS

formerly known as **best.paper™**

POWERED BY bestcolor technology

Printing media for colour inkjet printers

EFI Offset Proof Paper 9100 Semimatt (140 g/m²)

The EFI Offset Proof Paper 9100 Semimatt is a taylormade offset proofing media for use with both pigmented and dye-based ink. The very wide color gamut and the consistent quality covers the paper type classes PT1, PT2 and PT3. The 9100 offers the look and feel of an actual offset press stock. The very low content of optical brighteners guarantees a high color stability - metamerism effects are minimised. This media is Fogra substratecertified and thus very compatible for proof creation according to the ISO 12647-7 norm.

***) All roll units are supplied with each two adapters 3" to 2" core.**

****) Suitable e. g. for HP 120/130 series**

*****) Suitable e. g. for HP DesignJet 70 and 90 Series**

NEW	part no.	unit	size	core
	6732210297	100 sheets	DIN A4	
	6732241340	100 sheets	SUPER A4	
	6732297420	100 sheets	DIN A3	
	6732330483	100 sheets	DIN A3+	
	6732329558	100 sheets	A3++	
	6732420594	100 sheets	DIN A2	
	6732594841	100 sheets	DIN A1	
	6732254031	roll	25,4 cm x 30 m (10")	3" *)
	6732329010	roll	32,9 cm x 10 m (13")	2"
	6732329031	roll	32,9 cm x 30 m (13")	3" *)
	6732360031	roll	36,0 cm x 30 m (14,17")	3" *)
	6732432031	roll	43,2 cm x 30 m (17")	3" *)
	6732457025	roll	45,7 cm x 25 m (18")	2" ***)
	6732508031	roll	50,8 cm x 30 m (20")	3" *)
	6732610025	roll	61,0 cm x 25 m (24")	2" **)
	6732610031	roll	61,0 cm x 30 m (24")	3" *)
	6732914031	roll	91,4 cm x 30 m (36")	3" *)
	6732107031	roll	106,7 cm x 30 m (42")	3" *)
	6732112031	roll	111,8 cm x 30 m (44")	3" *)
	6732127031	roll	127,0 cm x 30 m (50")	3" *)
	6732135031	roll	135,0 cm x 30 m (53,125")	3" *)
	6732137031	roll	137,0 cm x 30 m (54")	3" *)
	6732152031	roll	152,4 cm x 30 m (60")	3" *)
NEW	6740162041	roll	162,6 cm x 30 m (64")	3"
	6732999998	5 sheets	DIN A3+	
	6732999999	Sample	43,2 cm x 5 m (17")	3" *)

Dye Inks Piezo | Dye Inks BubbleJet | Pigmented Inks Piezo | Pigmented Inks BubbleJet | Laser printers | Outdoor-Applications

recommended for

Application and icc-supported profiles with the following product segments:

- ☒ PROOFING SOLUTIONS
- ☒ PHOTO SOLUTIONS
- ☒ PRODUCTION SOLUTIONS

Proof Paper
BEST PROOFING SOLUTIONS

formerly known as **best.paper™**

POWERED BY bestcolor technology

Printing media for colour inkjet printers

EFI Offset Proof Paper 9200 Semimatt (200 g/m²)

The FograCert EFI Offset Proof Paper 9200 Semimatt media features a white point and gamut capacity that meets the requirements of high-end offset proofing. The appearance (haptic) resembles typical offset production paper. A very low content of optical brighteners guarantees a high color stability - metamerism effects are minimised. Due to its neutral paper white (LAB-Value: 96.7, 0.7, -1.2) the 9200 is highly recommended to simulate all common reference papers of the offset printing industry. In most cases the simulation of the paper white becomes redundant. The FOGRA certification was granted for offset printing (PT1, PT2 and PT3). The EFI Offset Proof Paper 9200 is delivered with an EFI-FOGRA backside printing and is compatible for proof creation according to ISO 12647-7.

***) All roll units are supplied with each two adapters 3" to 2" core.**

****) Suitable e. g. for HP 120/130 series**

*****) Suitable e. g. for HP DesignJet 70 and 90 Series**

	part no.	unit	size	core
	6731210297	100 sheets	DIN A4	
	6731241340	100 sheets	SUPER A4	
	6731297420	100 sheets	DIN A3	
	6731330483	100 sheets	DIN A3+	
	6731329558	100 sheets	A3++	
	6731420594	100 sheets	DIN A2	
	6731594841	100 sheets	DIN A1	
	6731254031	roll	25,4 cm x 30 m (10")	3" *)
	6731329010	roll	32,9 cm x 10 m (13")	2"
	6731329031	roll	32,9 cm x 30 m (13")	3" *)
	6731360031	roll	36,0 cm x 30 m (14,17")	3" *)
	6731432031	roll	43,2 cm x 30 m (17")	3" *)
	6731457025	roll	45,7 cm x 25 m (18")	2" ***)
	6731508031	roll	50,8 cm x 30 m (20")	3" *)
	6731610025	roll	61,0 cm x 25 m (24")	2" **)
	6731610031	roll	61,0 cm x 30 m (24")	3" *)
	6731914031	roll	91,4 cm x 30 m (36")	3" *)
	6731107031	roll	106,7 cm x 30 m (42")	3" *)
	6731112031	roll	111,8 cm x 30 m (44")	3" *)
	6731127031	roll	127,0 cm x 30 m (50")	3" *)
	6731135031	roll	135,0 cm x 30 m (53,125")	3" *)
	6731137031	roll	137,0 cm x 30 m (54")	3" *)
	6731152031	roll	152,4 cm x 30 m (60")	3" *)
NEW	6740162041	roll	162,6 cm x 30 m (64")	3"
	6731999998	5 sheets	DIN A3+	
	6731999999	Sample	43,2 cm x 5 m (17")	3" *)

Dye Inks Piezo | Dye Inks BubbleJet | Pigmented Inks Piezo | Pigmented Inks BubbleJet | Laser printers | Outdoor-Applications

recommended for

Application and icc-supported profiles with the following product segments:

- ☒ PROOFING SOLUTIONS
- ☒ PHOTO SOLUTIONS
- ☒ PRODUCTION SOLUTIONS

Proof Paper

BEST PROOFING SOLUTIONS

formerly known as **best.paper™**

POWERED BY bestcolor technology

Printing media for colour inkjet printers

EFI Gravure Proof Paper 4245 Semimatt (245 g/m²)

The FograCert EFI Gravure Proof Paper 4245 Semimatt is designed for use with the latest ink generation of the leading printer manufacturers (K3, Lucia, Vivid, Vivera, etc.). It meets the industry's most stringent quality and consistency requirements. A very low content of optical brighteners guarantees a high color stability - metamerism effects are minimised. The microporous, PE coated media hits the Fogra Norm 39L without any problems. The white point of the 4245 barely departs from the predetermined value defined by ISO 12647-7. In most cases the simulation of the paper white becomes redundant.The 4245 provides users with simplified installation, improved productivity, increased profitability and ease of use - all with the consistency and reliability sealed by CRACoL/SWOP (granted for #3) and Fogra certification (granted for PT3, S1 and S2). The #1 bestseller out of the EFI Paper range is supplied with the EFI-FOGRA print on the backside. Naturally this media is compatible for proof creation according to ISO 12647-7.

***) All roll units are supplied with each two adapters 3" to 2" core.**

****) Suitable e. g. for HP 120/130 series**

*****) Suitable e. g. for HP DesignJet 70 and 90 Series**

	Dye Inks Piezo	Dye Inks BubbleJet	Pigmented Inks Piezo	Pigmented Inks BubbleJet	Laser printers	Outdoor-Applications
recommended for						

NEW	part no.	unit	size	core
NEW	6098100150	100 sheets	)x15 (10,2 x 15,2 cm)	
	6098210297	100 sheets	DIN A4	
	6098241340	100 sheets	SUPER A4	
	6098297420	100 sheets	DIN A3	
	6098330483	100 sheets	DIN A3+	
	6098329558	100 sheets	A3++	
	6098420594	100 sheets	DIN A2	
	6098594841	100 sheets	DIN A1	
	6098254031	roll	25,4 cm x 30 m (10")	3" *)
	6098329010	roll	32,9 cm x 10 m (13")	2"
	6098329031	roll	32,9 cm x 30 m (13")	3" *)
	6098360031	roll	36,0 cm x 30 m (14,17")	3" *)
	6098432031	roll	43,2 cm x 30 m (17")	3" *)
	6098457025	roll	45,7 cm x 25 m (18")	2" ***)
	6098508031	roll	50,8 cm x 30 m (20")	3" *)
	6098610025	roll	61,0 cm x 25 m (24")	2" **)
	6098610031	roll	61,0 cm x 30 m (24")	3" *)
	6098914031	roll	91,4 cm x 30 m (36")	3" *)
	6098107031	roll	106,7 cm x 30 m (42")	3" *)
	6098112031	roll	111,8 cm x 30 m (44")	3" *)
	6098127031	roll	127,0 cm x 30 m (50")	3" *)
	6098135031	roll	135,0 cm x 30 m (53,125")	3" *)
	6098137031	roll	137,0 cm x 30 m (54")	3" *)
	6098152031	roll	152,4 cm x 30 m (60")	3" *)
	6098999998	**5 sheets**	DIN A3+	
	6098999996	**Sample**	43,2 cm x 5 m (17")	3" *)

Application and icc-supported profiles with the following product segments:

- ☒ PROOFING SOLUTIONS
- ☒ PROOFING SOLUTIONS
- ☒ PHOTO SOLUTIONS
- ☒ PRODUCTION SOLUTIONS

Proof Paper

BEST PROOFING SOLUTIONS

formerly known as **best.paper™**

POWERED BY bestcolor technology

Printing media for colour inkjet printers

EFI CertProof Paper 6225XF Semimatt (225 g/qm)

The EFI CertProof Paper 6225XF Semimatt is a universal purpose PE-coated, microporous paper designed for offset and gravure proofing. It shows outstanding results with the latest ink generation of the leading printer manufacturers (K3, Lucia, Vivid, Vivera, etc.). With its very wide color gamut the media is capable of Spot-Color Proofing and meets the industry's most stringent quality and consistency requirements. The huge gamut covers paper type classes PT1, PT2 and PT3, furthermore this grade is FOGRA/ISO 12647-7 and SWOP/GRACoL #1 certified. The EFI CertProof Paper 6225XF has almost no optical brighteners which minimises metamerism and reduces measurement errors in the profiling process. It is supplied with the EFI-FOGRA print on the backside. Naturally this media is compatible for proof creation according to ISO 12647-7.

***) All roll units are supplied with each two adapters 3" to 2" core.**

****) Suitable e. g. for HP 120/130 series**

*****) Suitable e. g. for HP DesignJet 70 and 90 Series**

NEW	part no.	unit	size	core
	6738210297	100 sheets	DIN A4	
	6738241340	100 sheets	SUPER A4	
	6738297420	100 sheets	DIN A3	
	6738330483	100 sheets	DIN A3+	
	6738329558	100 sheets	A3++	
	6738420594	100 sheets	DIN A2	
	6738594841	100 sheets	DIN A1	
	6738254031	roll	25,4 cm x 30 m (10")	3" *)
	6738329010	roll	32,9 cm x 10 m (13")	2"
	6738329031	roll	32,9 cm x 30 m (13")	3" *)
	6738360031	roll	36,0 cm x 30 m (14,17")	3" *)
	6738432031	roll	43,2 cm x 30 m (17")	3" *)
	6738457025	roll	45,7 cm x 25 m (18")	2" ***)
	6738508031	roll	50,8 cm x 30 m (20")	3" *)
	6738610025	roll	61,0 cm x 25 m (24")	2" **)
	6738610031	roll	61,0 cm x 30 m (24")	3" *)
	6738914031	roll	91,4 cm x 30 m (36")	3" *)
	6738107031	roll	106,7 cm x 30 m (42")	3" *)
	6738112031	roll	111,8 cm x 30 m (44")	3" *)
	6738127031	roll	127,0 cm x 30 m (50")	3" *)
	6738135031	roll	135,0 cm x 30 m (53,125")	3" *)
	6738137031	roll	137,0 cm x 30 m (54")	3" *)
	6738152031	roll	152,4 cm x 30 m (60")	3" *)
	6738999998	5 sheets	DIN A3+	
	6738999999	Sample	43,2 cm x 5 m (17")	3" *)

Dye Inks Piezo | Dye Inks BubbleJet | Pigmented Inks Piezo | Pigmented Inks BubbleJet | Laser printers | Outdoor-Applications

recommended for

Application and icc-supported profiles with the following product segments:

- ☒ PROOFING SOLUTIONS
- ☒ PHOTO SOLUTIONS
- ☒ PRODUCTION SOLUTIONS

Proof Paper
BEST PROOFING SOLUTIONS

formerly known as **best.paper™**

POWERED BY bestcolor technology

Printing media for colour inkjet printers

	NEW	part no.	unit	size	core	recommended for: Dye Inks Piezo	Dye Inks BubbleJet	Pigmented Inks Piezo	Pigmented Inks BubbleJet	Laser printers	Outdoor-Applications	Application and icc-supported profiles with the following product segments:
EFI Packaging Proof 9300ICS **(300 g/m²)**						■	■	■	■			
Controlled ΔE<1,5 Consistency		6741210297	10 sheets	DIN A4								☒ PROOFING SOLUTIONS
Proof cardboard with semi matt surface **for packaging proof** and other applications, greyish back **similar as packaging cardboard, with huge color gamut.**		6741297420	10 sheets	DIN A3								☒ PHOTO SOLUTIONS
		6741420594	10 sheets	DIN A2								☒ PRODUCTION SOLUTIONS
		6741540780	10 sheets	54,0 cm x 78,0 cm								
		6741780108	10 sheets	78,0 cm x 108,0 cm								
EFI Proof Paper 5180 Heavy-Gloss **(180 g/m²)**						■	■					
Heavy weight glossy paper, extremely short drying time, wipefast, suitable for the Proof segment and for other applications with high color fidelity.		6067210297	100 sheets	DIN A4								☒ PROOFING SOLUTIONS
		6067241340	100 sheets	SUPER A4								☒ PHOTO SOLUTIONS
		6067297420	100 sheets	DIN A3								☒ PRODUCTION SOLUTIONS
		6067330483	100 sheets	DIN A3+								
		6067420594	100 sheets	DIN A2								
		6067594841	100 sheets	DIN A1								
		6067329010	roll	32,9 cm x 10 m (13")	2"							
		6067360020	roll	36,0 cm x 20 m (14,17")	2"							
		6067610020	roll	61,0 cm x 20 m (24")	2"							
		6067610022	roll	61,0 cm x 20 m (24")	3"							
		6067914020	roll	91,4 cm x 20 m (36")	2"							
		6067914022	roll	91,4 cm x 20 m (36")	3"							
		6067107020	roll	106,7 cm x 20 m (42")	2"							
		6067112020	roll	111,8 cm x 20 m (44")	2"							
		6067112022	roll	111,8 cm x 20 m (44")	3"							
		6067127020	roll	127,0 cm x 20 m (50")	3"							
		6067135020	roll	135,0 cm x 20 m (53,125")	3"							
		6086999999	Sample	61,0 cm x 5 m (24")	2"							

Proof Paper
BEST PROOFING SOLUTIONS

formerly known as **best.paper™**

POWERED BY bestcolor technology

Printing media for colour inkjet printers

EFI FlexoProof Glossy-Film (130 µ)

The EFI Flexo Proof Glossy Film features a very high ink capacity and an extremely huge color gamut. Due to that the white film meets all requirements of high-end spot-color-proofing in the commercial packaging- and flexoprinting industry.The EFI Flexo Proof Glossy Film is designed for use with the latest ink generation of the leading printer manufacturers (K3, Lucia, Vivid, Vivera, etc.).The substrate covers the ISOcoated V2 color gamut easily. This media is Fogra substratecertified and thus very compatible for proof creation according to ISO 12647-7

***) All roll units are supplied with each two adapters 3" to 2" core.**

NEW	part no.	unit	size	core
	6737210297	100 sheets	DIN A4	
	6737297420	100 sheets	DIN A3	
	6737330483	100 sheets	DIN A3+	
	6737420594	100 sheets	DIN A2	
	6737432031	roll	43,2 cm x 30 m (17")	3" *)
	6737610031	roll	61,0 cm x 30 m (24")	3" *)
	6737914031	roll	91,4 cm x 30 m (36")	3" *)
	6737106031	roll	106,7 cm x 30 m (42")	3" *)
	6737111031	roll	111,8 cm x 30 m (44")	3" *)
	6737999999	Sample	43,2 cm x 3 m (17")	2"

Dye Inks Piezo | Dye Inks BubbleJet | Pigmented Inks Piezo | Pigmented Inks BubbleJet | Laser printers | Outdoor-Applications

recommended for

Application and icc-supported profiles with the following product segments:

- ☒ PROOFING SOLUTIONS
- ☒ PHOTO SOLUTIONS
- ☒ PRODUCTION SOLUTIONS

Proof Paper
BEST PROOFING SOLUTIONS

formerly known as **best.paper™**

POWERED BY bestcolor technology

Printing media for colour inkjet printers

EFI Proof Paper ZP 55 (Newspaper) **(55 g/m²)**

Proof Paper similar to standard newspaper. Special surface treatment. Best results with 4-color printing.

***) All roll units are supplied with each two adapters 3" to 2" core.**

The ideal Glossy-Contract-Proof Paper: EFI Photo Premium Paper 4250 High-Gloss (250 g/m²), please see EFI Photo Papers

NEW	part no.	unit	size	core
	6069210297	200 sheets	DIN A4	
	6069241340	200 sheets	SUPER A4	
	6069297420	200 sheets	DIN A3	
	6069305457	200 sheets	A3 ÜF	
	6069320450	200 sheets	SRA 3	
	6069328453	200 sheets	SUPER A3	
	6069330483	200 sheets	DIN A3+	
	6069420594	200 sheets	DIN A2	
	6069594841	200 sheets	DIN A1	
	6069329010	roll	32,9 cm x 10 m (13")	2"
	6069420020	roll	42,0 cm x 20 m (16,5")	1"
	6069432051	roll	43,2 cm x 50 m (17")	3"
	6069610050	roll	61,0 cm x 50 m (24")	2"
	6069914050	roll	91,4 cm x 50 m (36")	2"
	6069107050	roll	106,7 cm x 50 m (42")	2"
	6069111050	roll	111,8 cm x 50 m (44")	2"
	6069127050	roll	127,0 cm x 50 m (50")	2"
	6069999998	Sample	43,2 cm x 5 m (17")	3" *)
	6069999999	Sample	61,0 cm x 5 m (24")	2"

Dye Inks Piezo | Dye Inks BubbleJet | Pigmented Inks Piezo | Pigmented Inks BubbleJet | Laser printers | Outdoor-Applications

recommended for

Application and icc-supported profiles with the following product segments:

- [x] PROOFING SOLUTIONS
- [ ] PHOTO SOLUTIONS
- [ ] PRODUCTION SOLUTIONS

Further EFI printing media for Proof applications can be found in the following product segments:

PHOTO SOLUTIONS

PRODUCTION SOLUTIONS

Photo Paper
BEST PROOFING SOLUTIONS

formerly known as **best.paper™**

POWERED BY bestcolor technology

Printing media for colour inkjet printers

Dye Inks Piezo | Dye Inks BubbleJet | Pigmented Inks Piezo | Pigmented Inks BubbleJet | Laser printers | Outdoor-Applications

Application and icc-supported profiles with the following product segments:

EFI Photo Paper 1250 Semimatt (250 g/m²)

Controlled ΔE<1,5 Consistency

Universal heavy weight semimatt photopaper, PE microporous coating, especially suitable for photorealistic prints and other applications.

NEW	part no.	unit	size	core	recommended for
	6520210297	50 sheets	DIN A4		
	6520241340	50 sheets	SUPER A4		
	6520297420	50 sheets	DIN A3		
	6520330483	50 sheets	DIN A3+		
	6520420594	50 sheets	DIN A2		
	6520594841	50 sheets	DIN A1		
	6520254025	roll	25,4 cm x 25 m (10")	2"	
	6520329010	roll	32,9 cm x 10 m (13")	2"	
	6520329025	roll	32,9 cm x 25 m (13")	2"	
	6520360025	roll	36,0 cm x 25 m (14,17")	2"	
	6520432026	roll	43,2 cm x 25 m (17")	3" *)	
	6520508025	roll	50,8 cm x 25 m (20")	2"	
	6520610025	roll	61,0 cm x 25 m (24")	2"	
	6520610026	roll	61,0 cm x 25 m (24")	3"	
	6520914025	roll	91,4 cm x 25 m (36")	2"	
	6520914026	roll	91,4 cm x 25 m (36")	3" *)	
	6520107025	roll	106,7 cm x 25 m (42")	2"	
	6520112025	roll	111,8 cm x 25 m (44")	2"	
	6520112026	roll	111,8 cm x 25 m (44")	3" *)	
	6520127025	roll	127,0 cm x 25 m (50")	2"	
	6520999998	Sample	43,2 cm x 5 m (17")	3" *)	

☒ PHOTO SOLUTIONS

☒ PROOFING SOLUTIONS

☒ PRODUCTION SOLUTIONS

***) All roll units are supplied with each two adapters 3" to 2" core.**

Photo Paper
BEST PROOFING SOLUTIONS

formerly known as **best.paper™**

POWERED BY bestcolor technology

Printing media for colour inkjet printers

Dye Inks Piezo | Dye Inks BubbleJet | Pigmented Inks Piezo | Pigmented Inks BubbleJet | Laser printers | Outdoor-Applications

Application and icc-supported profiles with the following product segments:

- ☒ PHOTO SOLUTIONS
- ☒ PROOFING SOLUTIONS
- ☒ PRODUCTION SOLUTIONS

EFI Photo Paper 1260 Semimatt (250 g/m²)

Controlled ΔE<1,5 Consistency

fogra cert Proof substrate 20381

Universal heavy weight semimatt photopaper, PE microporous coating, especially suitable for professional photo prints and other applications. This paper is almost without opt. Brighteners and very suitable for offset proofing applications. **The FOGRA certification was granted for offset printing (offset paper classes PT1 and PT2). The EFI Photo Paper 1260 is delivered with an EFI-Fogra backside printing.**

The FOGRA certified EFI Photo 1260 Semimatt supports and underlines the flexibility of using EFI XF software for different applications.

***) All roll units are supplied with each two adapters 3" to 2" core.**

NEW	part no.	unit	size	core
	6733210297	100 sheets	DIN A4	
	6733241340	100 sheets	SUPER A4	
	6733297420	100 sheets	DIN A3	
	6733330483	100 sheets	DIN A3+	
	6733420594	100 sheets	DIN A2	
	6733594841	100 sheets	DIN A1	
	6733254026	roll	25,4 cm x 25 m (10")	3" *)
	6733329010	roll	32,9 cm x 10 m (13")	2"
	6733329026	roll	32,9 cm x 25 m (13")	3" *)
	6733360026	roll	36,0 cm x 25 m (14,17")	3" *)
	6733432026	roll	43,2 cm x 25 m (17")	3" *)
	6733508026	roll	50,8 cm x 25 m (20")	3" *)
	6733610026	roll	61,0 cm x 25 m (24")	3" *)
	6733914026	roll	91,4 cm x 25 m (36")	3" *)
	6733107026	roll	106,7 cm x 25 m (42")	3" *)
	6733112026	roll	111,8 cm x 25 m (44")	3" *)
	6733127026	roll	127,0 cm x 25 m (50")	2"
	6733999998	Sample	43,2 cm x 5 m (17")	3" *)

Photo Paper

BEST PROOFING SOLUTIONS

formerly known as **best.paper™**

POWERED BY bestcolor technology

Printing media for colour inkjet printers

EFI Photo Premium Paper 4250 High-Gloss (250 g/m²)

Universal high-gloss photopaper, PE microporous coating, especially suitable for professional photo prints and other applications. This paper is also very suitable for offset and flexo proofing applications. **The FOGRA certification was granted for offset ptinting (offset paper classes PT1 and PT2) and flexoprinting. The EFI Photo premium Paper 4250 is delivered with an EFI-Fogra backside printing.** The FOGRA certified EFI Photo Premium Paper 4250 High-Gloss supports and underlines the flexibility of using EFI XF software for different applications.

NEW	part no.	unit	size	core
	6310210297	50 sheets	DIN A4	
	6310241340	50 sheets	SUPER A4	
	6310297420	50 sheets	DIN A3	
	6310330483	50 sheets	DIN A3+	
	6310420594	50 sheets	DIN A2	
	6310594841	50 sheets	DIN A1	
	6310254026	roll	25,4 cm x 25 m (10")	3" *)
	6310329010	roll	32,9 cm x 10 m (13")	2"
	6310432026	roll	43,2 cm x 25 m (17")	3" *)
	6310508026	roll	50,8 cm x 25 m (20")	3" *)
	6310610026	roll	61,0 cm x 25 m (24")	3" *)
	6310914026	roll	91,4 cm x 25 m (36")	3" *)
	6310107026	roll	106,7 cm x 25 m (42")	3" *)
	6310112026	roll	111,8 cm x 25 m (44")	3" *)
	6310127026	roll	127,0 cm x 25 m (50")	3" *)
	6310999998	Sample	43,2 cm x 5 m (17")	3" *)

Dye Inks Piezo | Dye Inks BubbleJet | Pigmented Inks Piezo | Pigmented Inks BubbleJet | Laser printers | Outdoor-Applications

recommended for

Application and icc-supported profiles with the following product segments:

- ☒ PHOTO SOLUTIONS
- ☒ PROOFING SOLUTIONS
- ☒ PRODUCTION SOLUTIONS

***) All roll units are supplied with each two adapters 3" to 2" core.**

Photo Paper
BEST PROOFING SOLUTIONS

formerly known as **best.paper™**

POWERED BY bestcolor technology

Printing media for colour inkjet printers	NEW	part no.	unit	size	core	Dye Inks Piezo	Dye Inks BubbleJet	Pigmented Inks Piezo	Pigmented Inks BubbleJet	Laser printers	Outdoor-Applications	Application and icc-supported profiles with the following product segments:
						recommended for						
EFI Photo Classic Baryt 4270 Satin (270 g/m²)												
Fibre-based FineArt paperwith ultra smooth surface and the look and feel of traditional baryt paper. Ideal for Displays, FineArt, B/W and coloured reproductions, exhibition works. This media offers a Look and feel of a traditional silver halide paper, high density, acid free, archival.		6739210297	50 sheets	DIN A4								☒ PHOTO SOLUTIONS
		6739297420	50 sheets	DIN A3								☒ PROOFING SOLUTIONS
		6739330483	50 sheets	DIN A3+								☒ PRODUCTION SOLUTIONS
		6739420594	50 sheets	DIN A2								
		6739432016	roll	43,2 cm x 15 m (17")	3" *)							
		6739610016	roll	61,0 cm x 15 m (24")	3" *)							
		6739914016	roll	91,4 cm x 15 m (36")	3" *)							
		6739107016	roll	106,7 cm x 15 m (42")	3" *)							
		6739111016	roll	111,8 cm x 15 m (44")	3" *)							
***) All roll units are supplied with each two adapters 3" to 2" core.**		673999999	**Sample**	43,2 cm x 5 m (17")	3" *)							
EFI Photo FineArt 'Handmade' Water Color Paper (140 g/m²)												
For artistic reproductions with high color fidelity, acid free		6302210297	50 sheets	DIN A4								☒ PHOTO SOLUTIONS
		6302297420	50 sheets	DIN A3								☐ PROOFING SOLUTIONS
		6302330483	50 sheets	DIN A3+								☒ PRODUCTION SOLUTIONS
		6302420594	50 sheets	DIN A2								
		6302594841	20 sheets	DIN A1								
		6302841189	20 sheets	DIN A0								
		6302432021	roll	43,2 cm x 20 m (17")	3"							
		6302559020	roll	55,9 cm x 20 m (22")	2"							
		6302559021	roll	55,9 cm x 20 m (22")	3"							
		6302914020	roll	91,4 cm x 20 m (36")	2"							
		6302914021	roll	91,4 cm x 20 m (36")	3"							
		6302111020	roll	111,8 cm x 20 m (44")	2"							
		6302111021	roll	111,8 cm x 20 m (44")	3"							
		6302999999	**Sample**	55,9 cm x 5 m (22")	2"							

Photo Paper
BEST PROOFING SOLUTIONS

formerly known as **best.paper™**

POWERED BY bestcolor technology

Printing media for colour inkjet printers

NEW	part no.	unit	size	core	Dye Inks Piezo	Dye Inks BubbleJet	Pigmented Inks Piezo	Pigmented Inks BubbleJet	Laser printers	Outdoor-Applications	Application and icc-supported profiles with the following product segments:
					recommended for						

EFI Photo FineArt Canvas (520 µ)

Textile material for high quality prints, very suitable for framing, ideal for artistic reproductions e.g. 'oil' paintings, aquarelles, high quality photos and images.

***) All roll units are supplied with each two adapters 3" to 2" core.**

6308210297	10 sheets	DIN A4	
6308297420	10 sheets	DIN A3	
6308330483	10 sheets	DIN A3+	
6308420594	10 sheets	DIN A2	
6308594841	10 sheets	DIN A1	
6308841189	10 sheets	DIN A0	
6308432016	roll	43,2 cm x 15 m (17")	3"
6308610015	roll	61,0 cm x 15 m (24")	2"
6308610016	roll	61,0 cm x 15 m (24")	3"
6308914015	roll	91,4 cm x 15 m (36")	2"
6308914016	roll	91,4 cm x 15 m (36")	3"
6308111015	roll	111,8 cm x 15 m (44")	2"
6308111016	roll	111,8 cm x 15 m (44")	3"
6308127015	roll	127,0 cm x 15 m (50")	2"
6308999998	**Sample**	43,2 cm x 5 m (17")	3" *)

☒ PHOTO SOLUTIONS
☐ PROOFING SOLUTIONS
☒ PRODUCTION SOLUTIONS

EFI Photo FineArt Cotton Paper (295 g/qm)

Natural white Fine Art Rag **(100% Cotton)**, **with high light stability and aging resistance. Acid free.** For Digital photos and FineArt reproductions (Aquarelles, Pastel drawings, etc). Very homogenous surface structure with a matt coating.

***) All roll units are supplied with each two adapters 3" to 2" core.**

6736210297	50 sheets	DIN A4	
6736297420	50 sheets	DIN A3	
6736330483	50 sheets	DIN A3+	
6736420594	50 sheets	DIN A2	
6736432016	roll	43,2 cm x 15 m (17")	3" *)
6736610016	roll	61,0 cm x 15 m (24")	3" *)
6736914016	roll	91,4 cm x 15 m (36")	3" *)
6736107016	roll	106,7 cm x 15 m (42")	3" *)
6736111016	roll	111,8 cm x 15 m (44")	3" *)
6736999999	**Sample**	43,2 cm x 5 m (17")	3" *)

☒ PHOTO SOLUTIONS
☐ PROOFING SOLUTIONS
☒ PRODUCTION SOLUTIONS

Further EFI printing media for Photo applications can be found in the following product segments:

PROOFING SOLUTIONS

PRODUCTION SOLUTIONS

Production Paper

BEST PROOFING SOLUTIONS

formerly known as **best.paper™**

POWERED BY bestcolor technology

Printing media for colour inkjet printers	NEW	part no.	unit	size	core	Dye Inks Piezo	Dye Inks BubbleJet	Pigmented Inks Piezo	Pigmented Inks BubbleJet	Laser printers	Outdoor-Applications	Application and icc-supported profiles with the following product segments:
						recommended for						
EFI Production Paper 1090 Matt (90 g/m²)												
High resolution coated matt paper, high resolution, 2880 dpi, for production applications.		6701210297	200 sheets	DIN A4								☒ PRODUCTION SOLUTIONS
		6701297420	200 sheets	DIN A3								☐ PROOFING SOLUTIONS
		6701330483	200 sheets	DIN A3+								☐ PHOTO SOLUTIONS
		6701420594	200 sheets	DIN A2								
		6701480628	200 sheets	DIN A2+								
		6701594841	200 sheets	DIN A1								
		6701625914	200 sheets	DIN A1+								
		6701841118	200 sheets	DIN A0								
		6701914125	200 sheets	DIN A0++								
		6701210015	roll	21,0 cm x 15 m (8,3")	2"							
		6701329015	roll	32,9 cm x 15 m (13")	2"							
		6701432045	roll	43,2 cm x 45 m (17")	3" *)							
		6701610045	roll	61,0 cm x 45 m (24")	2"							
		6701914045	roll	91,4 cm x 45 m (36")	2"							
		6701107045	roll	106,7 cm x 45 m (42")	2"							
		6701111045	roll	111,8 cm x 45 m (44")	2"							
		6701127045	roll	127,0 cm x 45 m (50")	2"							
		6701135045	roll	135,0 cm x 45 m (53,125")	3" *)							
		6701137045	roll	137,0 cm x 45 m (54")	2"							
		6701152045	roll	152,4 cm x 45 m (60")	2"							
		6701999998	**Sample**	43,2 cm x 5 m (17")	3" *)							

***) All roll units are supplied with each two adapters 3" to 2" core.**

Production Paper
BEST PROOFING SOLUTIONS

formerly known as **best.paper™**

POWERED BY bestcolor technology

Printing media for colour inkjet printers

NEW	part no.	unit	size	core	Dye Inks Piezo	Dye Inks BubbleJet	Pigmented Inks Piezo	Pigmented Inks BubbleJet	Laser printers	Outdoor-Applications
					recommended for					

Application and icc-supported profiles with the following product segments:

EFI Production Premium Paper 1120 Matt (120 g/m²)

64 INCHES

High resolution coated matt paper, very high resolution, 5760 dpi, and a very wide colour gamut, for production applications.

***) All roll units are supplied with each two adapters 3" to 2" core.**

NEW	part no.	unit	size	core
	6702210297	200 sheets	DIN A4	
	6702241340	200 sheets	SUPER A4	
	6702297420	200 sheets	DIN A3	
	6702330483	200 sheets	DIN A3+	
	6702420594	200 sheets	DIN A2	
	6702594841	200 sheets	DIN A1	
	6702625914	200 sheets	DIN A1+	
	6702329015	roll	32,9 cm x 15 m (13")	2"
	6702432035	roll	43,2 cm x 35 m (17")	3" *)
	6702610035	roll	61,0 cm x 35 m (24")	2"
	6702914035	roll	91,4 cm x 35 m (36")	2"
	6702107035	roll	106,7 cm x 35 m (42")	2"
	6702111035	roll	111,8 cm x 35 m (44")	2"
	6702127035	roll	127,0 cm x 35 m (50")	2"
	6702135035	roll	135,0 cm x 35 m (53,125")	3" *)
	6702137035	roll	137,0 cm x 35 m (54")	2"
	6702152035	roll	152,4 cm x 35 m (60")	2"
NEW	6702162036	roll	162,6 cm x 35 m (64")	3" *)
	6702999998	Sample	43,2 cm x 5 m (17")	3" *)

- ☒ PRODUCTION SOLUTIONS
- ☐ PROOFING SOLUTIONS
- ☐ PHOTO SOLUTIONS

EFI Production Textile-Banner 1180 (180 g/qm)

High-grade, water-resistant textile material (100% Polyester) with special, high-resolution matt inkjet coating. For displays, banners and exciting product presentations. Due to the water resistance (only with pigmented inks) and the B1 certification, the EFI Textile Banner is suitable for inside and outdoor applications. Also suitable for roll-up and other display-systems.

part no.	unit	size	core
6717432021	roll	43,2 cm x 20 m (17")	3" *)
6717610021	roll	61,0 cm x 20 m (24")	3" *)
6717914021	roll	91,4 cm x 20 m (36")	3" *)
6717107021	roll	106,7 cm x 20 m (42")	3" *)
6717127021	roll	127,0 cm x 20 m (50")	3" *)
6717137021	roll	137,0 cm x 20 m (54")	3" *)
6717152021	roll	152,4 cm x 20 m (60")	3" *)
6717999999	Sample	43,2 cm x 5 m (17")	3" *)

- ☒ PRODUCTION SOLUTIONS
- ☐ PROOFING SOLUTIONS
- ☐ PHOTO SOLUTIONS

Production Paper
BEST PROOFING SOLUTIONS

formerly known as **best.paper™**

POWERED BY bestcolor technology

Printing media for colour inkjet printers

EFI Production Premium Paper 1200 Semiglossy (200 g/m²)

Controlled ΔE<1,5 Consistency

PE microporous coated paper, very high resolution, 2880 dpi, suitable for both hot and cold lamination, universal suitability for dye and pigmented inks, very wide colour gamut.

***) All roll units are supplied with each two adapters 3" to 2" core.**

NEW	part no.	unit	size	core	Dye Inks Piezo	Dye Inks BubbleJet	Pigmented Inks Piezo	Pigmented Inks BubbleJet	Laser printers	Outdoor-Applications
	6704210297	100 sheets	DIN A4							
	6704297420	100 sheets	DIN A3							
	6704330483	100 sheets	DIN A3+							
	6704420594	100 sheets	DIN A2							
	6704480628	100 sheets	DIN A2+							
	6704594841	100 sheets	DIN A1							
	6704625914	100 sheets	DIN A1+							
	6704841118	100 sheets	DIN A0							
	6704914125	100 sheets	DIN A0++							
	6704329030	roll	32,9 cm x 30 m (13")	2"						
	6704432031	roll	43,2 cm x 30 m (17")	3" *)						
	6704610030	roll	61,0 cm x 30 m (24")	2"						
	6704914030	roll	91,4 cm x 30 m (36")	2"						
	6704107030	roll	106,7 cm x 30 m (42")	2"						
	6704111030	roll	111,8 cm x 30 m (44")	2"						
	6704127030	roll	127,0 cm x 30 m (50")	2"						
	6704137030	roll	137,0 cm x 30 m (54")	2"						
	6704152030	roll	152,4 cm x 30 m (60")	2"						
	6704999998	**Sample**	43,2 cm x 5 m (17")	3" *)						

recommended for

Application and icc-supported profiles with the following product segments:

- ☒ PRODUCTION SOLUTIONS
- ☐ PROOFING SOLUTIONS
- ☐ PHOTO SOLUTIONS

Production Paper

BEST PROOFING SOLUTIONS

formerly known as **best.paper™**

POWERED BY bestcolor technology

Printing media for colour inkjet printers

NEW	part no.	unit	size	core	Dye Inks Piezo	Dye Inks BubbleJet	Pigmented Inks Piezo	Pigmented Inks BubbleJet	Laser printers	Outdoor-Applications
					recommended for					

Application and icc-supported profiles with the following product segments:

EFI Production Premium Paper 2200 Glossy (200 g/m²)

Controlled ΔE<1,5 Consistency

64 INCHES

PE microporous coated paper, very high resolution, 2880 dpi, suitable for both hot and cold lamination, universal suitability for dye and pigmented inks, very wide colour gamut.

***) All roll units are supplied with each two adapters 3" to 2" core.**

NEW	part no.	unit	size	core
	6706210297	100 sheets	DIN A4	
	6706297420	100 sheets	DIN A3	
	6706330483	100 sheets	DIN A3+	
	6706420594	100 sheets	DIN A2	
	6706594841	100 sheets	DIN A1	
	6706329010	roll	32,9 cm x 10 m (13")	2"
	6706360030	roll	36,0 cm x 30 m (14,17")	2"
	6706432031	roll	43,2 cm x 30 m (17")	3" *)
	6706610030	roll	61,0 cm x 30 m (24")	2"
	6706914030	roll	91,4 cm x 30 m (36")	2"
	6706107030	roll	106,7 cm x 30 m (42")	2"
	6706112030	roll	111,8 cm x 30 m (44")	2"
	6706127030	roll	127,0 cm x 30 m (50")	2"
	6706137030	roll	137,0 cm x 30 m (54")	2"
	6706152030	roll	152,4 cm x 30 m (60")	2"
NEW	6706162031	roll	162,6 cm x 30 m (64")	3" *)
	6706999998	Sample	43,2 cm x 5 m (17")	3" *)

- [x] PRODUCTION SOLUTIONS
- [ ] PROOFING SOLUTIONS
- [ ] PHOTO SOLUTIONS

EFI Production Paper 1090ADH Matt (190 g/m²)

120 g/m² w/o paperback
190 g/m² with paperback

Matt paper with very high resolution, 2880 dpi, selfADHesive. Universal suitability for all thermal and piezo printers, for production applications.

***) All roll units are supplied with each two adapters 3" to 2" core.**

part no.	unit	size	core
6707210297	50 sheets	DIN A4	
6707297420	50 sheets	DIN A3	
6707420594	100 sheets	DIN A2	
6707432021	roll	43,2 cm x 20 m (17")	3" *)
6707610020	roll	61,0 cm x 20 m (24")	2"
6707914020	roll	91,4 cm x 20 m (36")	2"
6707111020	roll	111,8 cm x 20 m (44")	2"
6707127020	roll	127,0 cm x 20 m (50")	2"
6707999998	Sample	43,2 cm x 5 m (17")	3" *)

- [x] PRODUCTION SOLUTIONS
- [ ] PROOFING SOLUTIONS
- [ ] PHOTO SOLUTIONS

Production Paper
BEST PROOFING SOLUTIONS

formerly known as **best.paper™**

POWERED BY bestcolor technology

Printing media for colour inkjet printers	NEW	part no.	unit	size	core	Dye Inks Piezo	Dye Inks BubbleJet	Pigmented Inks Piezo	Pigmented Inks BubbleJet	Laser printers	Outdoor-Applications	Application and icc-supported profiles with the following product segments:
						recommended for						
EFI Production Paper 1200ADH Semiglossy												
200 g/m² w/o backing 280 g/m² with backing		6708210297	50 sheets	DIN A4								☒ PRODUCTION SOLUTIONS
		6708297420	50 sheets	DIN A3								☐ PROOFING SOLUTIONS
PE microporous coated paper, very high resolution, 2880 dpi, selfADHesive, universal for dye and pigmented inks, very wide colour gamut. The ideal and high quality selfADHesive semiglossy paper for production and presentation applications.		6708330483	50 sheets	DIN A3+								☐ PHOTO SOLUTIONS
		6708420594	100 sheets	DIN A2								
		6708480628	100 sheets	DIN A2+								
		6708594841	100 sheets	DIN A1								
		6708625914	100 sheets	DIN A1+								
		6708841118	100 sheets	DIN A0								
		6708914125	100 sheets	DIN A0++								
		6708432021	roll	43,2 cm x 20 m (17")	3" *)							
		6708610020	roll	61,0 cm x 20 m (24")	2"							
		6708914020	roll	91,4 cm x 20 m (36")	2"							
		6708107020	roll	106,7 cm x 20 m (42")	2"							
		6708111020	roll	111,8 cm x 20 m (44")	2"							
		6708127020	roll	127,0 cm x 20 m (50")	2"							
		6708999998	Sample	43,2 cm x 5 m (17")	3" *)							

Controlled ΔE<1,5 Consistency

***) All roll units are supplied with each two adapters 3" to 2" core.**

Production Paper

BEST PROOFING SOLUTIONS

formerly known as **best.paper™**

POWERED BY bestcolor technology

Printing media for colour inkjet printers	NEW	part no.	unit	size	core	Dye Inks Piezo	Dye Inks BubbleJet	Pigmented Inks Piezo	Pigmented Inks BubbleJet	Laser printers	Outdoor-Applications	Application and icc-supported profiles with the following product segments:
						recommended for						
EFI Production Paper 2200ADH Glossy **(200 g/m²)**												
190 g/m² w/o backing 280 g/m² with backing PE microporous coated paper, very high resolution, 2880 dpi, selfADHesive, universal for dye and pigmented inks, very wide colour gamut. The ideal and high quality selfADHesive glossy paper for production and presentation applications.		6709210297	50 sheets	DIN A4								☒ PRODUCTION SOLUTIONS
		6709297420	50 sheets	DIN A3								☐ PROOFING SOLUTIONS
		6709330483	50 sheets	DIN A3+								☐ PHOTO SOLUTIONS
		6709420594	100 sheets	DIN A2								
		6709480628	100 sheets	DIN A2+								
		6709594841	100 sheets	DIN A1								
		6709625914	100 sheets	DIN A1+								
		6709841118	100 sheets	DIN A0								
		6709914125	100 sheets	DIN A0++								
		6709432021	roll	43,2 cm x 20 m (17")	3" *)							
		6709610020	roll	61,0 cm x 20 m (24")	2"							
		6709914020	roll	91,4 cm x 20 m (36")	2"							
		6709107020	roll	106,7 cm x 20 m (42")	2"							
		6709111020	roll	111,8 cm x 20 m (44")	2"							
		6709127020	roll	127,0 cm x 20 m (50")	2"							
***) All roll units are supplied with each two adapters 3" to 2" core.**		6709999998	**Sample**	43,2 cm x 5 m (17")	3" *)							
EFI Production Paper 1300ADH Vinyl **(300 µ)**												
175 g/m² w/o paperback 315 g/m² with paperback Self-adhesive polypropylene, matt, for all uneven surfaces. Very good suitability for indoor and outdoor production applications.		6710210297	50 sheets	DIN A4								☒ PRODUCTION SOLUTIONS
		6710297420	50 sheets	DIN A3								☐ PROOFING SOLUTIONS
		6710330483	50 sheets	DIN A3+								☐ PHOTO SOLUTIONS
		6710420594	100 sheets	DIN A2								
		6710432021	roll	43,2 cm x 20 m (17")	3" *)							
		6710610020	roll	61,0 cm x 20 m (24")	2"							
		6710914020	roll	91,4 cm x 20 m (36")	2"							
		6710107020	roll	106,7 cm x 20 m (42")	2"							
		6710112020	roll	111,8 cm x 20 m (44")	2"							
		6710127020	roll	127,0 cm x 20 m (50")	2"							
		6710137020	roll	137,2 cm x 20 m (54")	2"							
		6710152020	roll	152,4 cm x 20 m (60")	2"							
***) All roll units are supplied with each two adapters 3" to 2" core.**		6710999998	**Sample**	43,2 cm x 5 m (17")	3" *)							

Production Paper

BEST PROOFING SOLUTIONS

formerly known as **best.paper™**

POWERED BY bestcolor technology

Printing media for colour inkjet printers	NEW	part no.	unit	size	core	Dye Inks Piezo	Dye Inks BubbleJet	Pigmented Inks Piezo	Pigmented Inks BubbleJet	Laser printers	Outdoor-Applications	Application and icc-supported profiles with the following product segments:
						recommended for						
EFI Production Paper 1160 PET-Film (160 g/m²)												
Matt coated film, water resistant with pigmented inks, suitable for laminating, bidirectionally tear proof, suitable for grommeting, especially for photo and production applications.		6711210297	50 sheets	DIN A4								☒ PRODUCTION SOLUTIONS
		6711241340	50 sheets	SUPER A4								☐ PROOFING SOLUTIONS
		6711297420	50 sheets	DIN A3								☒ PHOTO SOLUTIONS
		6711330483	50 sheets	DIN A3+								
		6711420594	50 sheets	DIN A2								
		6711594841	50 sheets	DIN A1								
		6711254020	roll	25,4 cm x 20 m (10")	2"							
		6711329010	roll	32,9 cm x 10 m (13")	2"							
		6711432020	roll	43,2 cm x 20 m (17")	2"							
		6711508020	roll	50,8 cm x 20 m (20")	2"							
		6711610020	roll	61,0 cm x 20 m (24")	2"							
		6711914020	roll	91,4 cm x 20 m (36")	2"							
		6711107020	roll	106,7 cm x 20 m (42")	2"							
		6711112020	roll	111,8 cm x 20 m (44")	2"							
		6711127020	roll	127,0 cm x 20 m (50")	2"							
***) All roll units are supplied with each two adapters 3" to 2" core.**		6711999998	**Sample**	43,2 cm x 5 m (17")	3" *)							
EFI Production Paper 1510 Vinyl Banner (510 µ)												
Very heavy vinyl (tarpaulin material), non self-adhesive, water resistant in combination with pigmented inks. Very good suitability also for grommeting.		6712432016	roll	43,2 cm x 15 m (17")	3" *)							☒ PRODUCTION SOLUTIONS
		6712610015	roll	61,0 cm x 15 m (24")	2"							☐ PROOFING SOLUTIONS
		6712914015	roll	91,4 cm x 15 m (36")	2"							☐ PHOTO SOLUTIONS
		6712107015	roll	106,7 cm x 15 m (42")	2"							
		6712112015	roll	111,8 cm x 15 m (44")	2"							
		6712127015	roll	127,0 cm x 15 m (50")	2"							
		6712137015	roll	137,2 cm x 15 m (54")	2"							
		6712152015	roll	152,4 cm x 15 m (60")	2"							
***) All roll units are supplied with each two adapters 3" to 2" core.**		6712999998	**Sample**	43,2 cm x 5 m (17")	3" *)							

Production Paper
BEST PROOFING SOLUTIONS

formerly known as **best.paper™**

POWERED BY bestcolor technology

Printing media for colour inkjet printers	NEW	part no.	unit	size	core	Dye Inks Piezo	Dye Inks BubbleJet	Pigmented Inks Piezo	Pigmented Inks BubbleJet	Laser printers	Outdoor-Applications	Application and icc-supported profiles with the following product segments:
						recommended for						
EFI Production Paper 1150 Tyvek Banner (150 g/m²)												
Strong, tear proof, paper-like product, e. g. for banner printing and other outdoor applications.		6713210297	50 sheets	DIN A4								☒ PRODUCTION SOLUTIONS
		6713297420	50 sheets	DIN A3								☐ PROOFING SOLUTIONS
		6713330483	50 sheets	DIN A3+								☐ PHOTO SOLUTIONS
		6713420594	100 sheets	DIN A2								
		6713329010	roll	32,9 cm x 10 m (13")	2"							
		6713432021	roll	43,2 cm x 20 m (17")	3" *)							
		6713610020	roll	61,0 cm x 20 m (24")	2"							
		6713914020	roll	91,4 cm x 20 m (36")	2"							
		6713107020	roll	106,7 cm x 20 m (42")	2"							
		6713112020	roll	111,8 cm x 20 m (44")	2"							
		6713127020	roll	127,0 cm x 20 m (50")	2"							
***) All roll units are supplied with each two adapters 3" to 2" core.**		6713135020	roll	135,0 cm x 20 m (53,125")	3" *)							
		6713137020	roll	137,0 cm x 20 m (54")	2"							
		6713999998	**Sample**	43,2 cm x 5 m (17")	3" *)							
EFI Production Paper 1140 Backlit (140 µ)												
Matt translucent polyester film for indoor and outdoor applications in light boxes, especially suitable for applications under high humidity and condensation conditions, universal use, instant drying and water resistant.		6714432021	roll	43,2 cm x 20 m (17")	3" *)							☒ PRODUCTION SOLUTIONS
		6714610020	roll	61,0 cm x 20 m (24")	2"							☐ PROOFING SOLUTIONS
		6714914020	roll	91,4 cm x 20 m (36")	2"							☐ PHOTO SOLUTIONS
		6714107020	roll	106,7 cm x 20 m (42")	2"							
		6714111020	roll	111,8 cm x 20 m (44")	2"							
		6714127020	roll	127,0 cm x 20 m (50")	2"							
		6714137020	roll	137,2 cm x 20 m (54")	2"							
***) All roll units are supplied with each two adapters 3" to 2" core.**		6714152020	roll	152,4 cm x 20 m (60")	2"							
		6714999997	**Sample**	43,2 cm x 5 m (17")	3" *)							

Production Paper
BEST PROOFING SOLUTIONS

formerly known as **best.paper™**

POWERED BY bestcolor technology

Printing media for colour inkjet printers	NEW	part no.	unit	size	core	Dye Inks Piezo	Dye Inks BubbleJet	Pigmented Inks Piezo	Pigmented Inks BubbleJet	Laser printers	Outdoor-Applications	Application and icc-supported profiles with the following product segments:
						recommended for						
EFI Production Dot Film (140 µ)												
Universal clear film with short drying time for the production of film/color excerpts for offset and screen printing without chemistry. Very sharp plots, good dot gain control and outstanding dimensional stability. With all kinds of inks (dye and pigment) very high UV densities will be reached.		6062210297	100 sheets	DIN A4								☐ PROOFING SOLUTIONS
		6062297420	100 sheets	DIN A3								☐ PHOTO SOLUTIONS
		6062330483	100 sheets	DIN A3+								☒ PRODUCTION SOLUTIONS
		6062420594	100 sheets	DIN A2								
		6062420015	roll	42,0 cm x 15,0 m (16,5")	2"							
		6062432031	roll	43,2 cm x 30,5 m (17")	3" *)							
		6062457030	roll	45,7 cm x 30,5 m (18")	2"							
		6062610030	roll	61,0 cm x 30,5 m (24")	2"							
		6062914030	roll	91,4 cm x 30,5 m (36")	2"							
		6062107030	roll	106,7 cm x 30,5 m (42")	2"							
		6062111030	roll	111,8 cm x 30,5 m (44")	2"							
		6062127030	roll	127,0 cm x 30,5 m (50")	2"							
		6062137030	roll	137,0 cm x 30,5 m (54")	2"							
		6062152030	roll	152,4 cm x 30,5 m (60")	2"							
		6062999998	**Sample**	43,2 cm x 5 m (17")	3" *)							

***) All roll units are supplied with each two adapters 3" to 2" core.**

Further EFI printing media for Production applications can be found in the following product segments:

PROOFING SOLUTIONS

PHOTO SOLUTIONS

Proof Paper
BEST PROOFING SOLUTIONS

formerly known as **best.paper™**

POWERED BY bestcolor technology

Printing media for colour laser printers and laser copiers

	NEW	part no.	unit	size	core	Dye Inks Piezo	Dye Inks BubbleJet	Pigmented Inks Piezo	Pigmented Inks BubbleJet	Laser printers	Outdoor-Applications	Application and icc-supported profiles with the following product segments:
EFI Laser Paper Starterkit										☒		
Contents: Each 3 sheets EFI Laser Paper ZP78, 92M, 162M, 162GL, 205GL, 130SM and XF130		6075000001	21 sheets	DIN A4								☒ PROOFING SOLUTIONS ☐ PHOTO SOLUTIONS ☒ PRODUCTION SOLUTIONS
EFI Laser Paper ZP 78 (Newspaper) **(78 g/m²)**										☒		
Proof Paper similar to standard newspaper. Special surface treatment.		6734210297	200 sheets	DIN A4								☒ PROOFING SOLUTIONS ☐ PHOTO SOLUTIONS ☒ PRODUCTION SOLUTIONS
		6734241340	200 sheets	SUPER A4								
		6734297420	200 sheets	DIN A3								
		6734305457	200 sheets	A3 ÜF								
		6734320450	200 sheets	SRA 3								
		6734328453	200 sheets	A3 Nobi								
		6734330483	200 sheets	DIN A3+								
	NEW	6734420594	200 sheets	DIN A2								
EFI Laser Paper Matt 92M **(92 g/m²)**										☒		
DUO Matt paper, for high color fidelity laser printing; suitable for duplex printing.		7103210297	200 sheets	DIN A4								☒ PROOFING SOLUTIONS ☐ PHOTO SOLUTIONS ☒ PRODUCTION SOLUTIONS
		7103241340	200 sheets	SUPER A4								
		7103297420	200 sheets	DIN A3								
		7103305457	200 sheets	A3 ÜF								
		7103320450	200 sheets	SRA 3								
		7103328453	200 sheets	A3 Nobi								
		7103328900	200 sheets	328 x 900 mm	Banner 1							
		7103215120	200 sheets	215 x 1200 mm	Banner 2							
		7103328120	200 sheets	328 x 1200 mm	Banner 3							

Proof Paper
BEST PROOFING SOLUTIONS

formerly known as **best.paper™**

POWERED BY bestcolor technology

Printing media for colour laser printers and laser copiers

	NEW	part no.	unit	size	core	Dye Inks Piezo	Dye Inks BubbleJet	Pigmented Inks Piezo	Pigmented Inks BubbleJet	Laser printers	Outdoor-Applications	Application and icc-supported profiles with the following product segments:
EFI Laser Paper Matt 162M **(162 g/m²)**												
DUO		7105210297	200 sheets	DIN A4								☒ PROOFING SOLUTIONS
Matt paper, heavy-weight, for high color fidelity laser printing. Suitable for duplex printing.		7105241340	200 sheets	SUPER A4								☐ PHOTO SOLUTIONS
		7105297420	200 sheets	DIN A3								☒ PRODUCTION SOLUTIONS
		7105305457	200 sheets	A3 ÜF								
		7105320450	200 sheets	SRA 3								
		7105328453	200 sheets	A3 Nobi								
	NEW	7105330483	200 sheets	DIN A3+								
		7105328900	200 sheets	328 x 900 mm Banner 1								
		7105215120	200 sheets	215 x 1200 mm Banner 2								
		7105328120	200 sheets	328 x 1200 mm Banner 3								
EFI Laser Paper DUO-Semimatt 130SM **(130 g/m²)**												
DUO		7107210297	200 sheets	DIN A4								☒ PROOFING SOLUTIONS
Semimatt paper, for high color fidelity laser printing. Appearance similar to offset production paper (LAB-value: 93.5, 1, -1.3). Lower toner consumption enables faster running. Optimal toner adhesion allows folding. Suitable for duplex printing.		7107241340	200 sheets	SUPER A4								☐ PHOTO SOLUTIONS
		7107297420	200 sheets	DIN A3								☒ PRODUCTION SOLUTIONS
		7107305457	200 sheets	A3 ÜF								
		7107320450	200 sheets	SRA 3								
		7107328453	200 sheets	A3 Nobi								
	NEW	7107330483	200 sheets	DIN A3+								
		7107328900	200 sheets	328 x 900 mm Banner 1								
		7107215120	200 sheets	215 x 1200 mm Banner 2								
		7107328120	200 sheets	328 x 1200 mm Banner 3								
EFI Laser Proof Paper XF130 Semimatt **(130 g/m²)**												
DUO		6735210297	100 sheets	DIN A4								☒ PROOFING SOLUTIONS
Doubleside coated semimatt paper, very suitable for e.g. proofs and high color fidelity printing (LAB 96,0; 0,5; -3,5)		6735241340	100 sheets	SUPER A4								☐ PHOTO SOLUTIONS
		6735241341	**500** sheets	SUPER A4								☒ PRODUCTION SOLUTIONS
		6735297420	100 sheets	DIN A3								
		6735305457	100 sheets	A3 ÜF								
		6735305458	**500** sheets	A3 ÜF								
		6735320450	100 sheets	SRA 3								
		6735320451	**500** sheets	SRA 3								
		6735328453	100 sheets	A3 Nobi								
		6735328454	**500** sheets	A3 Nobi								
		6735330483	100 sheets	DIN A3+								
		6735330484	**500** sheets	DIN A3+								
		6735420594	100 sheets	DIN A2								
	NEW	6735328900	100 sheets	328 x 900 mm Banner 1								

Proof Paper
BEST PROOFING SOLUTIONS

formerly known as **best.paper™**

POWERED BY bestcolor technology

Printing media for colour laser printers and laser copiers

	NEW	part no.	unit	size	core	Dye Inks Piezo	Dye Inks BubbleJet	Pigmented Inks Piezo	Pigmented Inks BubbleJet	Laser printers	Outdoor-Applications	Application and icc-supported profiles with the following product segments:
EFI Laser Paper Glossy 162GL **(162 g/m²)**												
Glossy paper, heavy-weight, for high color fidelity laser printing. Suitable for single-side printing.		7106210297	200 sheets	DIN A4								☒ PROOFING SOLUTIONS
		7106241340	200 sheets	SUPER A4								☐ PHOTO SOLUTIONS
		7106297420	200 sheets	DIN A3								☒ PRODUCTION SOLUTIONS
		7106305457	200 sheets	A3 ÜF								
		7106320450	200 sheets	SRA 3								
		7106328453	200 sheets	A3 Nobi								
	NEW	7107330483	200 sheets	DIN A3+								
		7106328900	200 sheets	328 x 900 mm Banner 1								
		7106215120	200 sheets	215 x 1200 mm Banner 2								
		7106328120	200 sheets	328 x 1200 mm Banner 3								
EFI Laser Paper Glossy 205GL **(205 g/m²)**												
Glossy paper, heavy-weight, for high color fidelity laser printing. Suitable for single-side printing.		7108210297	100 sheets	DIN A4								☒ PROOFING SOLUTIONS
		7108241340	100 sheets	SUPER A4								☐ PHOTO SOLUTIONS
		7108297420	100 sheets	DIN A3								☒ PRODUCTION SOLUTIONS
		7108305457	100 sheets	A3 ÜF								
		7108320450	100 sheets	SRA 3								
		7108328453	100 sheets	A3 Nobi								
	NEW	7107330483	200 sheets	DIN A3+								
		7108328900	100 sheets	328 x 900 mm Banner 1								
		7108215120	100 sheets	215 x 1200 mm Banner 2								
		7108328120	100 sheets	328 x 1200 mm Banner 3								

Further EFI printing media for Proof applications can be found in the following product segments:

PHOTO SOLUTIONS

PRODUCTION SOLUTIONS

Proof Paper
BEST PROOFING SOLUTIONS

formerly known as **best.paper™**

POWERED BY bestcolor technology

Best/EFI Classics - end of life (subject to prior sale)	NEW	part no.	unit	size	core	Dye-Tinten Piezo	Dye-Tinten BubbleJet	Pigment-Tinten Piezo	Pigment-Tinten BubbleJet	Laserdrucker	Outdoor-Anwendungen	recommended for	Application and icc-supported profiles with the following product segments:
Best Proof Paper 5150 Glossy **(150 g/m²)**													
Glossy coated paper, extremely short drying time, wipefast, suitable for the Proof segment and for other applications with high color fidelity.		6065329010	roll	32,9 cm x 10 m (13")	2"								☒ PROOFING SOLUTIONS
		6065360030	roll	36,0 cm x 30 m (14,17")	2"								☐ PHOTO SOLUTIONS
		6065610031	roll	61,0 cm x 30 m (24")	2"								☒ PRODUCTION SOLUTIONS
		6065914031	roll	91,4 cm x 30 m (36")	2"								
		6065107030	roll	107,0 cm x 30 m (42")	2"								
		6065112031	roll	111,8 cm x 30 m (44")	2"								
		6065127030	roll	127,0 cm x 30 m (50")	2"								
		6065135030	roll	135,0 cm x 30 m (53 1/8")	3" *)								
***) All roll units are supplied with each two adapters 3" to 2" core.**		6065137030	roll	137,0 cm x 30 m (54")	2"								
		6065610030	roll	61,0 cm x 5 m (24")	2"								
Best Photo Paper 1240 High-Gloss **(270 g/m²)**													
Universal heavy weight high gloss photopaper, especially suitable for photorealistic prints and other applications.		6306254025	roll	25,4 cm x 25 m (10")	2"								☒ PROOFING SOLUTIONS
		6306329010	roll	32,9 cm x 10 m (13")	2"								☐ PHOTO SOLUTIONS
		6306360025	roll	36,0 cm x 25 m (14,17")	2"								☒ PRODUCTION SOLUTIONS
		6306610025	roll	61,0 cm x 25 m (24")	2"								
		6306914025	roll	91,4 cm x 25 m (36")	2"								
		6306112026	roll	111,8 cm x 25 m (44")	2"								
		6306999999	sample	61,0 cm x 5 m (24")									
Best Fine Art Gallery Board **(330 g/m²)**													
Very heavy, acid-free FineArt Paper, smoothly structured for pictures with high artistic demand		6307210297	50 sheets	DIN A4									☐ PROOFING SOLUTIONS
		6307297420	50 sheets	DIN A3									☒ PHOTO SOLUTIONS
		6307330483	50 sheets	DIN A3+									☒ PRODUCTION SOLUTIONS
		6307420594	50 sheets	DIN A2									
		6307594841	20 sheets	DIN A1									
		6307841189	20 sheets	DIN A0									

Proof Paper
BEST PROOFING SOLUTIONS

formerly known as **best.paper™**

POWERED BY bestcolor technology

Best/EFI Classics - end of life (subject to prior sale)	NEW	part no.	unit	size	core	Dye-Tinten Piezo	Dye-Tinten BubbleJet	Pigment-Tinten Piezo	Pigment-Tinten BubbleJet	Laserdrucker	Outdoor-Anwendungen	Application and icc-supported profiles with the following product segments:
						recommended for						
Best Fine Art Water Color Paper **(230 g/m²)**						■	■	■	■	□	□	☐ PROOFING SOLUTIONS
For artistic reproductions with high color fidelity.		6303210297	50 sheets	DIN A4								☒ PHOTO SOLUTIONS
		6303297420	50 sheets	DIN A3								☒ PRODUCTION SOLUTIONS
		6303420594	50 sheets	DIN A2								
		6303432021	roll	43,2 cm x 15 m (17")	3" *)							
***) All roll units are supplied with each two adapters 3" to 2" core.**		6303559021	roll	55,9 cm x 15 m (22")	3" *)							
		6303914021	roll	91,4 cm x 15 m (36")	3" *)							
		6303111016	roll	111,8 cm x 15 m (44")	2"							
Best Proof Paper 7180 Glossy **(180 g/m²)**						■	■	■	■	□	□	☒ PROOFING SOLUTIONS
Universal glossy coated paper, PE microporous coating. This paper is characterised by an extremely wide colour gamut.		9510329025	roll	32,9 cm x 25 m (13")	2"							☐ PHOTO SOLUTIONS
		9510360025	roll	36,0 cm x 25 m (14,17")	2"							☒ PRODUCTION SOLUTIONS
		9510999997	**Sample**	36,0 cm x 5 m (14,17")	2"							
EFI Proof Paper 8180 Semiglossy **(180 g/m²)**						■	■	■	■	□	□	☒ PROOFING SOLUTIONS
Controlled ΔE<1,5 Consistency		9511329010	roll	32,9 cm x 10 m (13")	2"							☒ PHOTO SOLUTIONS
Universal semi gloss paper, PE microporous coating, for proofs with high color fidelity and further applications. This paper is characterised by an extremely wide colour gamut.		9511329025	roll	32,9 cm x 25 m (13")	2"							☒ PRODUCTION SOLUTIONS
		9511360025	roll	36,0 cm x 25 m (14,17")	2"							
*****) Suitable e. g. for HP DesignJet 70 and 90 Series**		9511610025	roll	61,0 cm x 25 m (24")	2"							
		9511999997	**Sample**	36,0 cm x 5 m (14,17")	2"							

Proof Paper

BEST PROOFING SOLUTIONS

formerly known as **best.paper™**

POWERED BY bestcolor technology

Best/EFI Classics - end of life (subject to prior sale)	NEW	part no.	unit	size	core	Dye-Tinten Piezo	Dye-Tinten BubbleJet	Pigment-Tinten Piezo	Pigment-Tinten BubbleJet	Laserdrucker	Outdoor-Anwendungen	recommended for	Application and icc-supported profiles with the following product segments:

EFI Proof Premium Paper 8260 Semiglossy (260 g/m²)

Controlled ΔE<1,5 Consistency

Premium Proof paper, semiglossy, wipe fast, very fast drying and for universal use. The outstanding color gamut of this especially for offset printing developed paper is compatible to the paper types classes 1 and 2 of the ISO 12647-2. The paper white is close to the isocoated value, and with it's high L-value you can easily do a paper white simulation. The LAB values are 96.3; -0.1; -4.3, and the opacity is 98 %. Furthermore this Premium Proof paper has a PE microporous coating and a very good flatness, even when using rolls.

***) All roll units are supplied with each two adapters 3" to 2" core.**

****) Suitable e. g. for HP 120/130 series**

*****) Suitable e. g. for HP DesignJet 70 and 90 Series**

NEW	part no.	unit	size	core
	6086210297	100 sheets	DIN A4	
	6086297420	100 sheets	DIN A3	
	6086330483	100 sheets	DIN A3+	
	6086254031	roll	25,4 cm x 30 m (10")	3" *)
	6086329010	roll	32,9 cm x 10 m (13")	2"
	6086329031	roll	32,9 cm x 30 m (13")	3" *)
	6086360031	roll	36,0 cm x 30 m (14,17")	3" *)
	6086432031	roll	43,2 cm x 30 m (17")	3" *)
	6086610025	roll	61,0 cm x 25 m (24")	2" **)
	6086999999	Sample	43,2 cm x 5 m (17")	3" *)

☒ PROOFING SOLUTIONS
☒ PHOTO SOLUTIONS
☒ PRODUCTION SOLUTIONS

EFI Laser Paper DUO-Semimatt 105SM (105 g/sqm)

DUO

NEW	part no.	unit	size
NEW	7104210297	200 sheets	DIN A4
NEW	7104241340	200 sheets	SUPER A4
NEW	7104297420	200 sheets	DIN A3
NEW	7104305457	200 sheets	A3 ÜF
NEW	7104320450	200 sheets	SRA 3
NEW	7104328453	200 sheets	SUPER A3
NEW	7104328900	200 sheets	328 x 900 mm Banner 1
NEW	7104215120	200 sheets	215 x 1200 mm Banner 2
NEW	7104328120	200 sheets	328 x 1200 mm Banner 3

☒ PROOFING SOLUTIONS
☐ PHOTO SOLUTIONS
☒ PRODUCTION SOLUTIONS

Proof Paper
BEST PROOFING SOLUTIONS

formerly known as **best.paper™**

POWERED BY bestcolor technology

Best/EFI Classics - end of life (subject to prior sale)	NEW	part no.	unit	size	core	Dye-Tinten Piezo / Dye-Tinten BubbleJet / Pigment-Tinten Piezo / Pigment-Tinten BubbleJet / Laserdrucker / Outdoor-Anwendungen — recommended for	Application and icc-supported profiles with the following product segments:
EFI Packaging Proof 9380 Semimatt **(380 g/m²)**							
Proof cardboard with semi matt surface **for packaging proof** and other applications, greyish back **similar as packaging cardboard**		6523210297 6523297420	10 sheets 10 sheets	DIN A4 DIN A3			☒ PROOFING SOLUTIONS ☒ PHOTO SOLUTIONS ☒ PRODUCTION SOLUTIONS

Further EFI printing media for Production applications can be found in the following product segments:

PHOTO SOLUTIONS

PRODUCTION SOLUTIONS

Product specifications and prices subject to change without prior notice.

Tecco Braun & Frings GmbH
Buchholzstraße 79 - 51469 Bergisch Gladbach - Germany - Phone: +49-(0)2202-2924-0 - Fax: +49-(0)2202-2924-99
e-Mail: contact@tecco.de
http://www.tecco.de

February 2008

Sizes:	*Photo 10x15:*	*102 x 152 mm*
	US-executive:	*184 x 267 mm*
	DIN A4:	*210 x 297 mm*
	US-letter:	*216 x 280 mm*
	US-legal:	*216 x 356 mm*
	SUPER A4:	*241 x 340 mm*
	US-tabloid:	*280 x 432 mm*
	DIN A3:	*297 x 420 mm*
	A3 ÜF:	*305 x 457 mm*
	SRA 3:	*320 x 450 mm*
	A3 Nobi:	*328 x 453 mm*
	DIN A3+:	*330 x 483 mm*
	A3++:	*329 x 558 mm*
	DIN A2:	*420 x 594 mm*
	DIN A2+:	*480 x 628 mm*
	DIN A1:	*594 x 841 mm*
	DIN A1+:	*625 x 914 mm*
	DIN A0:	*841 x 1189 mm*
	DIN A0++:	*914 x 1250 mm*
	Banner 1:	*328 x 900 mm*
	Banner 2:	*215 x 1200 mm*
	Banner 3:	*328 x 1200 mm*
	Banner 4:	*297 x 900 mm*
	Banner 5:	*215 x 900 mm*
	Banner 6:	*297 x 840 mm*
	Banner 7:	*297 x 1200 mm*
	Banner 8:	*320 x 1200 mm*